



UK Headquarters and Main Sales Department

Datapath Limited

Derby, England

 Tel:
 +44 (0) 1332 294441

 Fax:
 +44 (0) 1332 290667

 Email:
 sales@datapath.co.uk

www.datapath.co.uk

DAT1721 - X4 Brochure 03.indd 3 07/09/2012 11:04





DAT1721 - X4 Brochure 03.indd 4 07/09/2012 11:04





Datapath x4 and x4-1U display wall controllers

The Datapath x4 display wall controller offers a flexible low cost way of building inspiring display walls – from creative to complex, landscape or portrait and using unlimited number of displays. It's innovative thinking and a commitment to keep things simple that ensures the Datapath x4 display wall controller is easy to configure, totally flexible and full of creative potential.

X34

Datapath x4 key features

- Infinite creative configurations
- Up to Quad HD, 4 HD outputs
- · Rotates, crops, scales, mirror and bezel corrects
- Unlimited preset and templates
- Accepts Dual-Link DVI, Single-Link DVI or HDMI inputs
- Power down configuration save facility, power up instantly with no re-set up required

Datapath x4-1U key features

- The same features as the x4 but contained in a rack mountable chassis
- Datapath x4-1U has an "Output Framelock" button to setup the unit with all four outputs set to exactly the same timings, providing smooth and clear video






Build dynamic video walls, small or large with the Datapath x4 and the Datapath dL8. These products have been designed and developed to allow the user to utilise their creative imagination to design display solutions for digital signage applications and video walls.

By combining these products you can take advantage of a system that delivers unlimited creative possibilities at a low cost, supporting up to 32 screens or more with multiple dL8 units.







DAT1721 - X4 Brochure 03.indd 5 07/09/2012 11:04





The Datapath dL8 is an eight output distribution amplifier for ultra-high resolution Dual Link DVI signals providing a programmable, flexible and low cost solution for any video wall display. When used in conjunction with up to 8 Datapath x4 stand alone wall controllers, the Datapath dL8 supports up to 32 screens display walls – more with multiple dL8 units.



Datapath dL8 key features

- Supports up to 32 screens display walls when used in conjunction with up to 8 Datapath x4 stand alone wall controllers
- Supports any resolution or frame rate that can be used supported in either Single or Dual-Link DVI
- Supports any resolutions up to and beyond Quad-HD (3840 x 2160) up to pixel clocks of 330 MHz





DATA PAT

Visit www.datapath.co.uk for more detailed product information

DAT1721 - X4 Brochure 03.indd 5 07/09/2012 11:04